Acta Physiol Scand 1998, **164**, 645–648

Author index

Aalkajær, C *see* Mulvaney, M.
Aalkjær, C. *see* Peng, H.-L.
Aasly, J. *see* White, L.R.
Adner, M. *see* White, L.R.
Aizman, O. *see* Aizman, R.
Aizman, R., Aizman, O. & Celsi, G. β-adrenergic stimulation of cellular K^+ uptake in rat distal colon, 309
Ajisawa, Y. *see* Igawa, Y.
Akahane, M. *see* Igawa, Y.
Allen, B.G. *see* Winder, S.J.
Allen, S.P. *see* Hafizi, S.
Alway, S.E. *see* Ferketich, A.K.
Andersson, E. *see* Liu, Y.-A.
Andersson, R.M., Cheng, S.X.J. & Aperia, A. Forskolin-induced down-regulation of Na^+, K^+-ATPase activity is not associated with internalization of the enzyme, 39
Aoki, K. *see* Kondo, N.
Aperia, A. *see* Andersson, R.M.
Arlock, P. *see* Ingemansson, M.P.
Arner, A. & Malmqvist, U. Cross-bridge cycling in smooth muscle: a short review, 363
Arner, A. *see* Mulvaney, M.
Arner, A. *see* Pfitzer, G.
Arrizurieta, E. *see* Bertuccio, C.

Backman, L. *see* Näslund, E.
Bahr, R. *see* Børsheim, E.
Baláti, B., Varró, A. & Papp, J.G. Comparison of the cellular electrophysiological characteristics of canine left ventricular epicardium, M cells, endocardium and Purkinje fibres, 181
Berk, B.C. *see* Takahashi, E.
Bermon, S., Venembre, P., Sachet, C., Valour, S. & Dolisi, C. Effects of creatine monohydrate ingestion in sedentary and weight-trained older adults, 147
Bertuccio, C., Ibarra, F.R., Pignataro, O., Toledo, J., Paz, L., Arrizurieta, E. & Martin, R.S. Regulation of cell cyclic AMP in medullary thick ascending limb of Henle in a rat model of chronic renal failure, 107
Billeter, R. *see* Jostarndt-Fögen, K.
Björnberg, J. *see* Ekelund, U.
Boerth, N.J. *see* Lincoln, T.M.
Bolton, T.B. & Gordienko, D.V. Confocal imaging of calcium release events in single smooth muscle cells, 567
Bonen, A. *see* Nieuwenhuizen, A.G.
Bonev, A.D. *see* Jagger, J.H.
Boobis, L.H. *see* Cherry, P.W.
Børsheim, E., Bahr, R. & Knardahl, S. Effect of β-adrenoceptor stimulation on oxygen consumption and triglyceride/fatty acid cycling after exercise, 157
Boushel, R., Madsen, P., Nielsen, H.B., Quistorff, B. & Secher, N.H. Contribution of pH, diprotonated phosphate and potassium for the reflex increase in blood pressure during handgrip, 269
Bouvier, F. *see* Jensen-Urstad, M.
Brachmann, M. *see* Haller, H.
Brink, P.R. Gap junctions in vascular smooth muscle, 349
Brodin, L.-Å. *see* Jensen-Urstad, M.
Buchner, K. *see* Haller, H.
Burton, D. *see* Marston, S.B.
Butler, T.M. & Siegman, M.J. Control of crossbridge cycling by myosin light chain phosphorylation in mammalian smooth muscle, 389

Cappelen, J. *see* White, L.R.
Cardenas, P. *see* Molero, M.
Celsi, G. *see* Aizman, R.
Chacin, J. *see* Molero, M.
Chalovich, J.M., Sen, A., Resetar, A., Leinweber, B., Fredericksen, S., Lu, F. & Chen, Y.-D. Caldesmon: binding to actin and myosin and effects on elementary steps in the ATPase cycle, 427
Chen, Y.-D. *see* Chalovich, J.M.
Cheng, S.X.J. *see* Andersson, R.M.
Cherry, P.W., Lakomy, H.K.A., Boobis, L.H. & Nevill, M.E. Rapid recovery of power output in females, 79
Chester, A.H. *see* Hafizi, S.
Chin, C. *see* Green, H.J.
Chin, S. *see* Kuwahara, S.
Clark, M.G. *see* Vincent, M.A.
Clément-Chomienne, O. *see* Winder, S.J.
Convertino, V.A. Changes in peak oxygen uptake and plasma volume in fit and unfit subjects following exposure to a simulation of microgravity, 251
Copeland, O. *see* Marston, S.B.
Cornwell, T.L. *see* Lincoln, T.M.

Daugaard, J.R., Laustsen, J.L., Hansen, B.S. & Richter, E.A. Growth hormone induces muscle fibre type transformation in growth hormone-deficient rats, 119
Delamere, N.A. *see* Kuwahara, S.
Dey, N.B. *see* Lincoln, T.M.
Diener, M. *see* Schultheiß, G.
Dolisi, C. *see* Bermon, S.

Edvinsson, L. *see* White, L.R.
Ekelund, U., Mellander, S. & Björnberg, J. α_2-adrenoceptor activation may trigger the increased production of endothelium-derived nitric oxide in skeletal muscle during acute haemorrhage, 285
El-Mezgueldi, M. *see* Marston, S.B.

Fellström, B. *see* Granstam, S.-O.
Ferketich, A.K., Kirby, T.E. & Alway, S.E. Cardiovascular and muscular adaptations to combined endurance and strength training in elderly women, 259
Fraser, I. *see* Marston, S.B.
Fredericksen, S. *see* Chalovich, J.M.
Friberg, P. *see* Guron, G.

Gao, Y. *see* Marston, S.B.
Gebremedhin, D. *see* Harder, D.R.
Gillen, C.M. *see* Haskell, A.
Gimona, M. *see* Small, J.V.
Gollasch, M. *see* Jagger, J.H.
Gordienko, D.V. *see* Bolton, T.B.
Gorehan, C. *see* Green, H.J.
Grände, P.-O. *see* Kongstad, L.

© 1998 Scandinavian Physiological Society

Grange, F. *see* Green, H.J.
Granstam, E. *see* Granstam, S.-O.
Granstam, S.-O., Granstam, E., Fellström, B. & Lind, L. Effects of endothelin receptor type A antagonism and nitric oxide synthase inhibition on cerebral blood flow in hypertensive rats, 213
Green, H.J., Grange, F., Chin, C., Gorehan, C. & Ranney, D. Exercise-induced decreases in sarcoplasmic reticulum Ca^{2+}-ATPase activity are attentuated by high resistance training, 141
Guron, G., Nilsson, A., Leyssac, P.P., Sundelin, B. & Friberg, P. Proximal tubular function in adult rats treated neonatally with enalapril, 99

Hafizi, S., Nobin, R., Allen, S.P., Chester, A.H. & Yacoub, M.H. Contrasting effects of platelet-derived growth factor (PDGF) isomers on mitogenesis, contraction and intracellular calcium concentration in human vascular smooth muscle, 191
Haller, H., Maasch, C., Lindschau, C., Brachmann, M., Buchner, K. & Luft, F.C. Intracellular targeting and protein kinase C in vascular smooth muscle cells: specific effects of different membrane-bound receptors, 599
Hammarström, M. *see* Liu, Y.-A.
Hansen, B.S. *see* Daugaard, J.R.
Harder, D.R., Roman, R.J., Gebremedhin, D. & Lange, A.R. A common pathway for regulation of nutritive blood flow to the brain: arterial muscle membrane potential and cytochrome P450 metabolites, 527
Hartshorne, D.J. Myosin phosphatase: subunits and interactions, 483
Hashimoto, I., Miyamura, M. & Saito, M. Initiation of increase in muscle sympathetic nerve activity delay during maximal voluntary contraction, 293
Haskell, A., Gillen, C.M., Mack, G.W. & Nadel, E.R. Albumin infusion in humans does not model exercise induced hypervolaemia after 24 h, 277
Hassel, B., Ilebekk, A. & Tønnessen, T. Cardiac accumulation of citrate during brief myocardial ischaemia and reperfusion in the pig *in vivo*, 53
Heagerty, A.M. *see* Ohanian, J.
Hellstrand, P. Long-term effects of intracellular calcium and growth factors on excitation and contraction in smooth muscle, 637
Hellstrand, P. *see* Mulvaney, M.
Hellström, P.M. *see* Näslund, E.
Heppner, T.J. *see* Jagger, J.H.
Hernandez, I.M. *see* Molero, M.
Hodgkinson, J. *see* Marston, S.B.
Hoppeler, H. *see* Jostarndt-Fögen, K.
Hörger, S. *see* Schultheiß, G.
Huber, P. *see* Marston, S.B.
Hughes, A.D. & Wijetunge, S. Role of tyrosine phosphorylation in excitation-contraction coupling in vascular smooth muscle, 457

Ibarra, F.R. *see* Bertuccio, C.
Igawa, Y., Yamazaki, Y., Takeda, H., Akahane, M., Ajisawa, Y., Yoneyama, T. & Nishizawa, O. Possible β3-adrenoceptor-mediated relaxation of the human detrusor, 117
Ilebekk, A. *see* Hassel, B.
Ingemansson, M.P., Arlock, P. & Olsson, S.B. Effects of magnesium and glucose, insulin, potassium (GIK) solution on the action potential parameters of guinea-pig atrial muscle, 173
Inoue, Y. *see* Kondo, N.
Ivarsen, A. *see* Peng, H.-L.
Iversen, J.-G. *see* Wassdal, I.

Jagger, J.H., Wellman, G.C., Heppner, T.J., Porter, V.A., Perez, G.J., Gollasch, M., Kleppisch, T., Rubart, M., Stevenson, A.S., Lederer, W.J., Knot, H.J., Bonev, A.D. & Nelson, M.T. Ca^{2+} channels, ryanodine receptors and Ca^{2+}-activated K^+ channels: a functional unit for regulating arterial tone, 577
Jensen-Urstad, M., Bouvier, F., Nejat, M., Saltin, B. & Brodin, L.-Å. Left ventricular function in endurance runners during exercise, 167
Jostarndt-Fögen, K., Puntschart, A., Hoppeler, H. & Billeter, R. Fibre-type specific expression of fast and slow essential myosin light chain mRNAs in trained human skeletal muscles, 299
Juel, C. Skeletal muscle Na^+/H^+ exchange in rats: pH dependency and the effect of training, 135
Juul, R. *see* White, L.R.

Khromov, A.S. *see* Somlyo, A.V.
Kirby, T.E. *see* Ferketich, A.K.
Kleppisch, T. *see* Jagger, J.H.
Knardahl, S. *see* Børsheim, E.
Knot, H.J. *see* Jagger, J.H.
Kohl, P. *see* Lei, M.
Koiter, T.R. *see* Nieuwenhuizen, A.G.
Kondo, N., Takano, S., Aoki, K., Shibasaki, M., Tominaga, H. & Inoue, Y. Regional differences in the effect of exercise intensity on thermoregulatory sweating and cutaneous vasodilation, 71
Kongstad, L. & Grände, P.-O. The capillary filtration coefficient for evaluation of capillary fluid permeability in cat calf muscles, 201
Krueger, J.K. *see* Stull, J.T.
Kurku, J., Thorup, C. & Persson, A.E.G. Renal nerve stimulation restores tubuloglomerular feedback after acute renal denervation, 237
Kuwahara, S., Chin, S. & Delamere, N.A. Partial inhibition of Na, K-ATPase activity in cultured rabbit non-pigmented ciliary epithelium following an episode of cytoplasmic ATP depletion, 13

Lakomy, H.K.A. *see* Cherry, P.W.
Lange, A.R. *see* Harder, D.R.
Larsson, B. *see* Liu, Y.-A.
Laustsen, J.L. *see* Daugaard, J.R.
Lauzon, A.-M., Trybus, K.M. & Warshaw, D.M. Molecular mechanics of two smooth muscle heavy meromyosin constructs that differ by an insert in the motor domain, 357
Lederer, W.J. *see* Jagger, J.H.
Lei, M & Kohl, P. Swelling-induced decrease in spontaneous pacemaker activity of rabbit isolated sino-atrial node cells, 1
Leinweber, B. *see* Chalovich, J.M.
Leinweber, B.D. *see* Morgan, K.G.
Leseth, K.H. *see* White, L.R.
Levine, B. *see* Marston, S.B.
Leyssac, P.P. *see* Guron, G.
Lin, P.J. *see* Stull, J.T.
Lincoln, T.M., Dey, N.B., Boerth, N.J., Cornwell, T.L. & Soff, G.A. Nitric oxide – cyclic GMP pathway regulates vascular smooth muscle cell phenotypic modulation: Implications in vascular disease, 507

© 1998 Scandinavian Physiological Society

Lind, L. *see* Granstam, S.-O.
Lindschau, C. *see* Haller, H.
Liu, G *see* Ohanian, J.
Liu, Y.-A., Andersson, E., Hammarström, M. & Larsson, B. Autonomic nervous influence of the female guinea-pig urinary bladder during the oestrous cycle, 245
Lobo, P. *see* Molero, M.
Lu, F. *see* Chalovich, J.M.
Luft, F.C. *see* Haller, H.

Maasch, C. *see* Haller, H.
Mack, G.W. *see* Haskell, A.
Madsen, P. *see* Boushel, R.
Madsen, P. *see* Nielsen, H.B.
Malmqvist, U. *see* Arner, A.
Marston, S.B., Burton, D., Copeland, O., Fraser, I., Gao, Y., Hodgkinson, J., Huber, P., Levine, B., El-Mezgueldi, M. & Notarianni, G. Structural interactions between actin, tropomyosin, caldesmon and calcium binding protein and the regulation of smooth muscle thin filaments, 401
Martin, R.S. *see* Bertuccio, C.
Matthew, J.D. *see* Somlyo, A.V.
Mellander, S. *see* Ekelund, U.
Miyamura, M. *see* Hashimoto, I.
Molero, M., Hernandez, I.M., Lobo, P., Cardenas, P., Romero, R. & Chacin, J. Modulation by nitric oxide of gastric acid secretion in toads, 229
Morgan, K.G. & Leinweber, B.D. PKC-dependent signalling mechanisms in differentiated smooth muscle, 495
Mulvaney, M., Aalkajær, C., Arner, A. & Hellstrand, P. Preface to the third *Acta Physiologica Scandinavica* international symposium on signalling mechanism in vascular smooth muscle, 339
Murphy, R.A. & Walker, J.S. Inhibitory mechanisms for cross-bridge cycling: the nitric oxide-cGMP signal transduction pathway in smooth muscle relaxation, 373

Nadel, E.R. *see* Haskell, A.
Näslund, E., Backman, L., Theodorsson, E. & Hellström, P.M. Intraduodenal neuropeptide levels, but not plasma levels, vary in a cyclic fashion with the migrating motor complex, 317
Nejat, M. *see* Jensen-Urstad, M.
Nelson, M.T. *see* Jagger, J.H.
Nevill, M.E. *see* Cherry, P.W.
Nicolaysen, G. *see* Wassdal, I.
Nielsen, H.B. *see* Boushel, R.
Nielsen, H.B., Madsen, P., Svendsen, L.B., Roach, R.C. & Secher, N.H. The influence of PaO_2, pH and SaO_2 on maximal oxygen uptake, 89
Nieuwenhuizen, A.G., Schuiling, G.A., Bonen, A., Paans, A.M.J., Vaalburg, W. & Koiter, T.R. Glucose consumption by various tissues in pregnant rats: effects of a 6-day euglycaemic hyperinsulinaemic clamp, 325
Nilsson, A. *see* Guron, G.
Nilsson, H. Interactions between membrane potential and intracellular calcium concentration in vascular smooth muscle, 559
Nilsson, H. *see* Peng, H.-L.
Nishizawa, O. *see* Igawa, Y.
Nobin, R. *see* Hafizi, S.
Notarianni, G. *see* Marston, S.B.
Nowak, J. *see* Svedenhag, J.

Ohanian, J., Liu, G, Ohanian, V. & Heagerty, A.M. Lipid second messengers derived from glycerolipids and sphingolipids, and their role in smooth muscle function, 533
Ohanian, V. *see* Ohanian, J.
Olsson, S.B. *see* Ingemansson, M.P.
Owens, G.K. Molecular control of vascular smooth muscle cell differentiation, 623

Paans, A.M.J. *see* Nieuwenhuizen, A.G.
Palnæs Hansen, C., Stadil, F. & Rehfeld, J.F. Renal tubular transport and metabolism of carboxyamidated and glycine-extended gastrins in pigs, 29
Papp, J.G. *see* Baláti, B.
Paul, R.J. The role of phospholamban and SERCA3 in regulation of smooth muscle -endothelial cell signalling mechanisms: evidence from gene-ablated mice, 589
Paz, L. *see* Bertuccio, C.
Peng, H.-L., Ivarsen, A., Nilsson, H. & Aalkjær, C. On the cellular mechanism for the effect of acidosis on vascular tone, 517
Perez, G.J. *see* Jagger, J.H.
Persson, A.E.G. *see* Kurku, J.
Pfitzer, G. & Arner, A. Involvement of small GTPases in the regulation of smooth muscle contraction, 449
Pignataro, O. *see* Bertuccio, C.
Porter, V.A. *see* Jagger, J.H.
Puntschart, A. *see* Jostarndt-Fögen, K.

Quayle, J.M. *see* Standen, N.B.
Quistorff, B. *see* Boushel, R.

Ranney, D. *see* Green, H.J.
Rattigan, S. *see* Vincent, M.A.
Rehfeld, J.F. *see* Palnæs Hansen, C.
Resetar, A. *see* Chalovich, J.M.
Richter, E.A. *see* Daugaard, J.R.
Roach, R.C. *see* Nielsen, H.B.
Roman, R.J. *see* Harder, D.R.
Romero, R. *see* Molero, M.
Rubart, M. *see* Jagger, J.H.

Sachet, C. *see* Bermon, S.
Saito, M. *see* Hashimoto, I.
Saltin, B. *see* Jensen-Urstad, M.
Schuiling, G.A. *see* Nieuwenhuizen, A.G.
Schultheiß, G., Hörger, S. & Diener, M. The bumetanide-resistant part of forskolin-induced anion secretion in rat colon, 219
Secher, N.H. *see* Boushel, R.
Secher, N.H. *see* Nielsen, H.B.
Sen, A. *see* Chalovich, J.M.
Shibasaki, M. *see* Kondo, N.
Siegman, M.J. *see* Butler, T.M.
Skurvydas, A. & Zachovajevas, P. Is post-tetanic potentiation, low frequency fatigue (LFF) and pre-contractile depression (PCD) coexistent in intermittent isometric exercises of maximal intensity?, 127
Small, J.V. & Gimona, M. The cytoskeleton of the vertebrate smooth muscle cell, 341
Soff, G.A. *see* Lincoln, T.M.
Somlyo, A.P. & Somlyo, A.V. From pharmacomechanical coupling to G-proteins and myosin phosphatase, 437
Somlyo, A.P. *see* Somlyo, A.V.
Somlyo, A.V. *see* Somlyo, A.P.

© 1998 Scandinavian Physiological Society

Somlyo, A.V., Matthew, J.D., Wu, X., Khromov, A.S. & Somlyo, A.P. Regulation of the crossbridge cycle: the effects of MgADP, LC_{17} isoforms and telokin, 381
Stadil, F. *see* Palnæs Hansen, C.
Standen, N.B. & Quayle, J.M. K^+ channel modulation in arterial smooth muscle, 549
Stevenson, A.S. *see* Jagger, J.H.
Stull, J.T., Lin, P.J., Krueger, J.K., Trewhella, J. & Zhi, G. Myosin light chain kinase: functional domains and structural motifs, 471
Sundelin, B. *see* Guron, G.
Svedenhag, J. & Nowak, J. Opposite effects of adrenaline on plasma ammonia and blood lactate levels in humans, 115
Svendsen, L.B. *see* Nielsen, H.B.

Takahashi, E. & Berk, B.C. MAP kinases and vascular smooth muscle function, 611
Takano, S. *see* Kondo, N.
Takeda, H. *see* Igawa, Y.
Theodorsson, E. *see* Näslund, E.
Thorup, C. *see* Kurku, J.
Toledo, J. *see* Bertuccio, C.
Tominaga, H. *see* Kondo, N.
Tønnessen, T. *see* Hassel, B.
Trewhella, J. *see* Stull, J.T.
Trybus, K.M. *see* Lauzon, A.-M.Vaalburg, W. *see* Nieuwenhuizen, A.G.

Valour, S. *see* Bermon, S.
Varró, A. *see* Baláti, B.
Venembre, P. *see* Bermon, S.
Vincent, M.A., Rattigan, S. & Clark, M.G. Microsphere infusion reverses vasoconstrictor-mediated change in hindlimb oxygen uptake and energy status, 61

Walker, J.S. *see* Murphy, R.A.
Walsh, M.P. *see* Winder, S.J.
Warshaw, D.M. *see* Lauzon, A.-M.
Wassdal, I., Nicolaysen, G. & Iversen, J.-G. Bradykinin causes contraction in rat uterus through the same signal pathway as oxytocin, 47
Wellman, G.C. *see* Jagger, J.H.
White, L.R., Leseth, K.H., Juul, R., Adner, M., Cappelen, J., Aasly, J. & Edvinsson, L. Increased endothelin ET_B contractile activity in cultured segments of human temporal artery, 21
Wijetunge, S. *see* Hughes, A.D.
Winder, S.J., Allen, B.G., Clément-Chomienne, O. & Walsh, M.P. Regulation of smooth muscle actin–myosin interaction and force by calponin, 415
Wu, X. *see* Somlyo, A.V.

Yacoub, M.H. *see* Hafizi, S.
Yamazaki, Y. *see* Igawa, Y.
Yoneyama, T. *see* Igawa, Y.

Zachovajevas, P. *see* Skurvydas, A.
Zhi, G. *see* Stull, J.T.

© 1998 Scandinavian Physiological Society

Acta Physiol Scand 1998, **164**, 649–651

Subject index

α_2-Adrenoceptor, 285
Acetylcholine, 213
Actin, 341, 401, 415, 471
Actin binding, 427
Action potential duration, 173, 181
Actomyosin, 357
Adaptive changes, 135
Adipose tissue, 325
ADP, 389
Adrenergic nerves, 245
Ageing, 147
Aging, 259
Alanine, 53
Aldosterone, 277
Aluminium fluoride, 437
Amiloride, 135
Angiotensin II, 611
Angiotensin-converting enzyme inhibitor, 99
Arterial oxygen pressure, 89
Arterial oxygen saturation, 89
Arterial smooth muscle, 549
Astrocytes, 527
Atherosclerosis, 507, 623
Athlete, 167
ATP, 13
ATPase, 389
ATPase activity, 427
Atrial fibrillation, 173
Atrial natriuretic peptide, 277
Autonomic nerves, 245
Autoperfusion, 201
Autoregulation, 201

β3-adrenoceptor, 117
β-adrenoceptor sensitivty, 157
Bedrest, 251
Biosynthesis, 349
Blood loss, 285
Blood pressure, 269
Blood volume, 251
BMK1, 611
Bosentan, 21
BQ 788, 21
Brain, 325
β-receptor agonist, 309

Cl^- channels, 219
Cl^- $HCO3^-$ exchanger, 219
Cl^- secretion, 219
Ca^{2+}, 517
Ca^{2+}– ATPase, 577
Ca^{2+} – regulation, 401
Ca^{2+} – sensitivity, 449
Ca^{2+} sparks, 577
Ca-ATPase, 559
Caged compounds, 381
Calcitonin, 107
Calcium, 191, 373, 415, 457, 471, 559, 589, 637
Calcium channels, 457
Calcium sparks, 567
Caldesmon, 363, 401, 427, 495
Calmodulin, 415, 471
Calponin, 341, 363, 415, 495
cAMP, 39, 107
Capillary filtration coefficient, 201
Capillary permeability, 201
Cardiac output, 259
Cardiac pacemaker, 1
Catalytic subunit of type 1 phosphatase, 483
Catecholamines, 285, 309
Cell, 191
Cell volume, 1
Central command, 293
Ceramide, 533
Cerebral blood flow, 213
Ciliary epithelium, 13
Citrate, 53
Clonidine, 107
Colon (rat), 219
Confocal microscopy, 567
Contractile, 507
Contractility, 495
Contraction, 191
COS-7, 39
Creatine, 147
Cross-bridge cycle, 363
Cross-bridges, 381
Cross-talk, 611
Crystallography, 437
Cycle exercise, 141
Cyclic nucleotides, 507
Cytochrome P450 enzymes, 527
Cytoskeleton, 341

Density of activated sweat glands, 71
Desmin, 341
Diacylglycerol, 533
Diastolic function, 167
Differentiation, 623
Dog ventricular preparations, 181
Dwarf rat, 119

Electrophysiology, 181
Endoplasmic reticulum, 589
Endothelin receptor antagonist, 213
Endothelium-derived nitric oxide, 285
Ergogenic, 147
ERK, 611
ET-A, 21
ET-B, 21
Evan's blue dye, 277
Excess postexercise O_2 consumption, 157
Excitation-contraction coupling, 457, 567
Exercise, 167, 259, 269
Exercise training, 299
Extracellular matrix, 507

© 1998 Scandinavian Physiological Society

Fatigue, 79, 127, 147
Fibre type transformation, 119
Fibre types, 299
Fitness, 251
Fluid intake, 251
Fluo-3, 567
Forskolin, 39
FR 139317, 21
Functional hyperaemia, 527

Gap junctions, 349
Gastric mucosa, 229
Gastrin, 29
Gastrointestinal peptides, 29
Gating, 349
Gene expression, 623
Glomerular filtration, 29
GLUT4, 325
Glutamate, 53
Glycerophospholipid, 533
Glycolysis, 53
Green fluorescent protein, 599
Growth hormone, 119
GTP-binding proteins, 449
Guinea-pig, 245

H^+ secretion, 229
H^+,K^+ – ATPase, 309
$HCO3^-$ secretion, 219
Heart, 325
Heart rate, 1, 269
High-intensity exercise, 79
Histochemistry, 119
Hormonal influence, 245
Hormones, 157
Human, 191
Human detrusor, 117
Human muscle, 127, 299
Human temporal artery, 21
Hyperoxia, 89
Hypertension, 213

Idazoxan, 285
In situ hybridization, 299
Inhibitory innervation, 373
Intermediate filaments, 341
Internalization, 39
Intracellular calcium, 599
Intraduodenal peptides, 317
Ion channels, 559
Isoform a, 599
Isoforms, 495

JNK, 611

K^+ channel activity, 527
K_{ATP} channel, 549
K_{Ca} channel, 549
Kinase, 471
Kinase C, 437
Kinetics, 427
Kinin, 47

Lactate, 89
L-arginine, 229
Laser trap, 357
Left ventricle, 167
Lipid second messenger, 533
Lithium, 99
Lithium clearance, 99
Liver, 325
L-NAME, 285
Low frequency fatigue, 127

Magnesium, 173
Mathematical model, 1
Mechano-electric feedback, 1
Membrane potential, 517, 527, 577
Membrane potentials, 559
Metabolic inhibitors, 13
Metabolism, 29
Microembolism of muscle flow, 61
Microgravity, 251
Microsphere method, 213
Migrating motor complex, 317
Molecular motor, 357
Motilin, 317
mRNA, 299
mTAL, 107
Muscle, 325
Muscle action speed, 79
Muscle fibres, 259
Muscle metaboreflex, 293
Muscle sympathetic nerve activity, 293
Myocardial ischaemia, 53
Myosin, 357, 415, 483
Myosin heavy chain, 119
Myosin isoforms, 363
Myosin light chain kinase, 373, 471
Myosin light chain phosphatase, 373
Myosin light chains, 299, 381
Myosin phosphatase, 483
Myosin phosphatase target subunit, 483
Myosin regulatory light chains, 373
Myosin smooth muscle, 381

Na,K-ATPase, 13, 559
Na^+,K^+ – ATPase, 39
$Na^+ – K^+ – 2\ Cl^-$ – cotransporter, 219
Negative feedback, 285
Neurokinin A, 317
Nitric oxide, 213, 229
Nitric oxide synthase inhibition, 213
NO synthase inhibitors, 229
Non-nutritive flow, 61
NOS inhibition, 285
Nuclear angiocardiography, 167
Nuclear magnetic resonance, 269
Nucleus, 599
Nutritive flow, 61

Optical trap, 357
Organ culture, 21, 637
Ouabain binding, 39
Oxygen consumption, 259

p38, 611
Parietal cell, 229
Patch clamp, 567
Peak oxygen uptake, 251
pH, 517, 89

© 1998 Scandinavian Physiological Society

pH regulation, 135
Phospholipase C, 47
Phosphorylation, 39, 373
Physical training, 167
Pig, 29
PKA, 39
Plasma albumin content, 277
Plasma volume, 277
Platelet-derived growth factor, 191
Polarizing solution, 173
Polyamines, 637
Portal vein, 559
Positron emission tomography, 325
Post-contractile depression, 127
Post-tetanic potentiation, 127
Potassium channel, 549
Product release, 427
Proliferation, 191
Protein kinase, 507
Protein kinase A, 577
Protein kinase C, 13, 415, 495, 577, 599
Protein kinase G, 577
Proximal tubule, 99
Pump perfusion, 201

^{86}Rb uptake, 309
Rabbit, 1
Rat, 107
Rate dependence, 181
Rate of rise of the action potential upstroke, 181
Rats inbred SHR, 213
Regional differences, 71
Regulation of contraction, 427
Regulatory mechanisms, 483
Remodelling, 611
Renal denervation, 237
Renal development, 99
Renal failure, 107
Renal function, 99
Renal haemodynamics, 237
Renal nerve stimulation, 237
Renin, 277
Renin-angiotensin system, 99
Reperfusion, 53
Resistance training, 141
Restenosis, 507
Resting potential, 173
Review, 623
Rho, 437, 449
Rowing, 89

Sarafotoxin S6c, 21
Sarcolemmal vesicles, 135
Sarcoplasmic reticulum, 141, 577, 589
Second messenger, 47
Serum, 637
Signal transduction, 533, 611
Single molecule, 357
Single turnover, 389
Sino-atrial node, 1
Skeletal muscle, 119, 201
Skin blood flow response, 71
Small arteries, 559
Smooth muscle, 47, 363, 415, 437, 449, 471, 483, 495, 637
Smooth muscle cell, 567, 623
Smooth muscle contraction, 427
Somatostatin, 317
Sphingolipid, 533
Spontaneous transient outward currents, 567
Strength, 147
Stroke volume, 259
Substance P, 317
Subunit interactions, 483
Sustained handgrip, 293
Sweat output per gland, 71
Sweating response, 71
Swelling, 1
Systolic function, 167

Targeting, 599
Telokin, 381
TG/FA cycle, 157
Thin filaments, 401
Training, 135, 147
Transcriptional regulation, 623
Trigger mechanism, 285
Tropomyosin, 401
Troponin, 401
Tubular glucose reabsorption, 99
Tubuloglomerular feedback, 237
Two circulatory systems in muscle, 61
Tyrosine kinase, 457
Tyrosine phosphatase, 457
Tyrosine phosphorylation, 449

Urinary bladder, 245
Urinary excretion, 29
Urine output, 251
Uterus, 437

Vascular disease, 623
Vascular resistance, 201
Vascular smooth muscle, 191, 457, 533, 577, 589, 599
Vascular tone, 201
Vasculogenesis, 623
Vasoactive intestinal peptide, 317
Vasoconstrictor, 549
Vasodilation, 373
Vasodilator, 549
Vasopressin, 107
Vastus lateralis, 141

Weak binding, 427

Y-27632, 437

© 1998 Scandinavian Physiological Society